




KROMSKI


KROMSKI & SONS

The Presto Loom


ASSEMBLY INSTRUCTION




2 Medium Metal Shims




2 Screws M6




2 Large Metal Shims




2 Brass Nuts




2 Black Knobs







2 Pawls




2 Nuts





**4 Screws
4 x 15**



**8 Wood Screws
4.5 x 45**




**2 Wood Screws
4 x 25**




**2 Pan Head
Screws**





2 Small Metal Washers






4 Large Metal Washers



K R O M S K I & S O N S






Do not tighten fully yet.




Wood Screws 4.5 x 45



Do not tighten fully yet.




2 Wood Screws
4 x 25



Slightly pull the ends of the metal leg brackets outwards to insert into holes.




Insert fully so the leg brackets will hold securely.



Metal beams will stay in place when inserted completely.





Tie a loop in each end of both long strings.







Screw this bolt strong, next unscrew a little.
The pawl should turn.





Tie each short string in a loop.



Use short string as loop.



Brace the loom so that all points are level on a table
top and tighten the screws on the cross support.



A completely assembled Presto with included accessories:



Other Kromski products:

Spinning - Spinning Wheels & Accessories:



The Minstrel Spinning Wheel



The Fantasia Spinning Wheel




The Polonaise Spinning Wheel

Weaving - Looms & Accessories:



The Harp Forte




Weaver's Choice Heddle



Harp Bag

To see more products visit
www.kromskina.com





The Presto Loom

Parts and Assembly